



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

JOURNAL
OF THE
NEW YORK
ENTOMOLOGICAL SOCIETY

Devoted to Entomology in General

Volume XXIII, 1915

NEW YORK
PUBLISHED BY THE SOCIETY
QUARTERLY
1915

CONTENTS OF VOLUME XXIII

| | |
|---|-----|
| ALDRICH, J. M., | |
| The Deer Bot-Flies (Genus <i>Cephenomyia</i>) | 145 |
| BANKS, NATHAN, | |
| Notes on Some Virginian Species of <i>Platypeza</i> | 213 |
| BRUES, CHARLES T., | |
| Some New Phoridae from Java | 184 |
| DAVIS, WM. T., | |
| Notes on Some Cicadas from Eastern and Central United States, with a Description of a New Variety of <i>Cicada Pruinosa</i> | I |
| New species of Cicadas from California and Utah | 11 |
| List of Orthoptera Collected in Northern Florida in 1914 for the American Museum of Natural History, with Descriptions of New Species | 91 |
| A New Variety of <i>Cicada</i> Resembling <i>C. Dorsata</i> | 161 |
| A New <i>Cicada</i> from Arizona | 239 |
| FELT, E. P., | |
| New Asian Gall Midges | 173 |
| GIRAULT, A. A., | |
| New Genera of Chalcidoid Hymenoptera | 165 |
| Two New Species of <i>Arrhenophagus</i> with Remarks | 241 |
| HARRIS, J. ARTHUR, | |
| On Differential Incidence of the Beetle <i>Bruchus</i> | 242 |
| HEBARD, MORGAN, | |
| The American Species of <i>Miogryllus</i> | 101 |
| HOOD, J. DOUGLAS AND WILLIAMS, C. B., | |
| New Thysanoptera from Florida and Louisiana | 121 |
| LEONARD, M. D., | |
| The Immature Stages of <i>Plagiognathus Politus</i> and <i>Campylomma Verbasci</i> | 193 |
| LENG, CHARLES W. AND SHOEMAKER, ERNEST, | |
| A New Genus and Species of <i>Lampyridae</i> | 55 |

| | |
|---|-------------------|
| LLOYD, J. T., | |
| Notes on <i>Astenophylax Argus</i> | 57 |
| Notes on the Immature Stages of Some New York Tri- choptera | 201 |
| OSBURN, RAYMUND C., | |
| Studies in Syrphidæ—IV. Species of <i>Eristalis</i> New to America, with Notes on Others | 139 |
| SCHAEFFER, CHARLES, | |
| New Coleoptera and Miscellaneous Notes—II | 47 |
| New Coleoptera and Miscellaneous Notes—III | 235 |
| SLOSSON, ANNIE TRUMBULL, | |
| A Few Memories | 85 |
| TOWNSEND, CHARLES H. T., | |
| New Masiceratidæ and Dexiidæ from South America | 61 |
| New Western and Southwestern Muscoidea | 216 |
| VAN DUZEE, E. P., | |
| A Preliminary Review of the West Coast Cicadidæ | 21 |
| WOODRUFF, LEWIS B., | |
| A New Membracid from New York | 44 |
| Miscellaneous Notes | 68, 150, 197, 253 |
| Proceedings of the New York Entomological Society ... | 71, 154, 198 |

INDEX TO NAMES OF INSECTS AND PLANTS IN VOLUME XXIII.

Generic names begin with a capital, specific names with a small letter. New genera, subgenera, species, subspecies, varieties and *nomina nova* are printed in italics.

- Aeshna* eremita, 153
 sitchensis, 153
Acherdoa ferraria, 89
Aglummyia flavida, 66
Airora, 68
Alindria, 68
Amblytropidia occidentalis, 94
Anædus brunneus, 238
 pallidus, 238
 rotundicollis, 238
 texanus, 238
Anagyrella, 168
 corvina, 169
Anatrytone aragos, 71
 delaware, 70, 71
 lagus, 71
 logan, 70
 vitellius, 70
Androdiplosis coccidivora, 183
Anisomorpha buprestoides, 93
Anisota senatoria, 72
Anomala, 200
Apenes opaca, 155
 parallela, 155
Aphiochæta atrita, 186, 188
 beckeri, 188
 canaliculata, 186, 187, 192
 flava, 189
 fortiuscula, 186, 192
 gregalis, 190, 192
 mejerei, 186, 189, 192
Apirene, 165
Aplopus mayeri, 198
Aptenopedes aptera, 97, 98
 rufovittata, 97
 sphenaroides, 97, 98
Aulacaspis pentagona, 183
Argynnis alcestes, 73
 aphrodite, 73
 cybele, 73
Ariasa marginata, 5
Arilus cristatus, 72
Arphia granulata, 94
 xanthoptera, 94
Arrhenophagoidea, 241
Arrhenophagus, 241
 albipes, 242
 albitibia, 241
 chionaspidis, 241
Arthrocnodax, 173
 rutherfordi, 180
 walkeriana, 181
Asclepias curassavica, 65
Aspidiotus lataniae, 176
Astenophylax argus, 58, 60
Astymachus, 166, 167
 japonicus, 167
Atacta apicalis, 64
 brasiliensis, 64
Atlanticus gibbosus, 100
Atymna, 44
Barythrips, 134
 sculpticauda, 135, 138
Bathydextra, 66, 67
Belocephalus excavatus, 98
 micanopy, 98, 99
 rehni, 98
 subapterus, 98, 99
Bembidium lævigatum, 154
Besseria, 233
Blattella germanica, 92
Bregmatothrips binervis, 123
 gracilis, 122, 137
 venustus, 123
Brenthus anchorago, 54
 peninsularis, 54
Bruchus, 242
 obtectus, 242

- Cacama, 21, 22, 23
 crepitans, 23, 28
 valvata, 23, 28
 Calosoma discors, 235
 frigidum, 75
 irregulare, 235
 luxatum, 236
 subasperatum, 235
 sycophanta, 73, 75
 Calytis, 68
 Campylomma verbasici, 195, 196
 Canthon erraticus, 51
 fossor, 57
 granarius, 50
 hæmorrhoidalis, 50, 51
 hamatus, 51
 humeralis, 50
 integricollis, 50
 nyctelius, 50
 punctaticollis, 50
 puncticollis, 50
 Ceratinoptera diaphana, 92
 Cephenomyia, 145
 abdominalis, 148, 149
 rufibarbis, 146, 147
 ulrichii, 146
 trompe, 146, 149
 stimulator, 146, 147
 grandis, 146
 macrodis, 146
 mexicana, 147
 Cerchysius, 168
 Cervus mexicanus, 147
 pyargus, 146
 Chalcophora fortis, 152
 liberta, 152
 Chestomorpha, 167
 Chilastigma difficilis, 208, 211, 212
 Chionaspis eugeniæ, 242
 Chortophaga australior, 94
 Chrysoëxorista, 230
 Chrysomasicera borealis, 230
 Cicada auletes, 1, 2, 3, 4, 5, 6, 7, 8, 10
 bicosta, 7
 cultriformis, 239, 240, 241
 dealbata, 162, 163, 164, 241
 dorsata, 161, 162, 164
 grossa, 2, 3, 4, 8
 latifasciata, 8, 10
 linnei, 10
 lyricen, 8
 marginalis, 1, 5, 163
 marginata, 1, 2, 3, 4, 5, 8, 10,
 162, 163, 164, 239, 240, 241
 plebeja, 23
 pruinosa, 8, 9, 10
 resh, 1, 3, 4, 5, 7, 8, 10, 164, 240
 resonans, 1, 6, 7, 8, 10
 robertsonii, 164
 similaris, 8
 sonora, 1, 6
 tibicen, 4
 winnemanna, 8, 10
 Cicindela carolina, 198
 consentanea, 156
 generosa, 156
 hirticollis, 154
 longilabris, 157
 marginata, 154
 minor, 198
 modesta, 71
 nigrior, 74
 obscura, 156
 punctulata, 71, 154, 156
 puritana, 154
 purpurea, 156, 157
 repanda, 156, 157
 rufiventris, 156
 rugifrons, 71, 156
 6-guttata, 157, 198
 tranquebarica, 71, 156, 157, 200
 unipunctata, 156
 unicolor, 74
 Clidophleps, 22, 24, 25, 31
 blaisdelli, 25, 32
 distanti, 25, 32
 pallida, 25, 33
 truncata, 25, 32
 Clinoccephalus elegans, 94
 Cnephalia, 222
 Coccinella transversoguttata, 254
 Cockerelliana capitata, 216, 218
 Colias interior, 157
 Colobopterus excisus, 77
 Conocephalus brevipennis, 100
 fasciatus, 100
 liristes, 72
 Coptolabrus, 159
 Corticotomus, 68
 Cremastogaster pilosa, 72
 Creophilus villosus, 150
 Criorrhina verbosa, 150
 Cryptoptilum trigonipalpus, 100
 Cryptothrys, 135
 Cuterebra, 149
 Cychrus convergens, 235
 Cyclodionæa acuminata, 233, 234
 Cyindromasicera, 61
 prima, 62
 Cyllene pictus, 86
 Cymindis elegans, 72
 Cyrtolobus, 44
 helena, 45

- Deltochilum*, 74
Demetrius atricapillus, 199
Dendrotettix quercus, 72
Dentifibulua, 173
 ceylanica, 175
 obtusiloba, 175, 176
Dermestes caninus, 197
 frischii, 197
 lardarius, 197
 vulpinus, 197
Diadiplosis buscki, 178
 cocci, 177
 coccidivora, 173, 177
 hirticornis, 177, 179
 smithi, 178
Diapheromera femorata, 93
Diaspis brasiliensis, 242
Diceratothrips, 135
Dicerca burida, 151, 152
 obscura, 151, 152
Dichætothrips, 135
Dichromorpha viridis, 94
Didactylomyia ceylanica, 173
Dimasicera, 62
 nitida, 63
Dineutes hornii, 154
Diplotaxis, 200
Dissosteira carolina, 94
Dohrniphora egregia, 184
Doliema bidens, 238
 pallida, 238
 plana, 238
Dromius atriceps, —
Dyodiplosis generosi, 183

Ecpanteria denudata, 87
Ellipes minuta, 100
Enallagma annexum, 153
 calverti, 153
 cyathigerum, 153
Ephanessa meridiana, 90
Epicerchysius, 167
 xanthipes, 168
Epigrimyia, 224
Eristalis ænea, 144
 arbutorum, 139, 140, 141, 142,
 144
 bastardii, 143
 flavipes, 150
 latifrons, 145
 meigenii, 139, 140, 141, 142
 nemorum, 144
 occidentalis, 143
 œstraceus, 144
 œstriformis, 144
 rupium, 143, 145
 saxorum, 143
 tenax, 139, 145
Eumasicera, 61
Eurycotis floridana, 92
Eupsalis lecontei, 53, 54, 55, 199
 minuta, 52, 53, 54, 55
 sallei, 53, 54, 55
Euptoieta claudia, 73
Euryothrips, 135
Euryrhopalus, 169
Eutheresia, 65
Exorista ochracea, 231

Fabriciella, 228
Fidicina crassa, 164
 figurata, 8
 literata, 8
Formica exsectoides, 69
 schaufussi, 155
 subsericea, 69

Ganonema, 58
Gelastocoris oculatus, 154
Geranium atropurpureum, 221
Gnophothrips megaceps, 133, 138
Goniocnephala melanica, 222
Gryllobates bohlsii, 114
 brevipennis, 105, 106, 108
 lineatus, 111
 micromegas, 105, 106
 parvipennis, 106
Gryllotalpa hexadactyla, 116
Gryllus, 103
 assimilis, 100
 ater, 105
 guyennensis, 115
 laplatæ, 115
 nitidulus, 105, 108
 pusillus, 105, 106, 108
 saussurei, 104, 114, 115
 verticalis, 115
Grynocharis pilosula, 68
Gymnoscirtes pusillus, 95

Halobates micans, 154
 wuellerstorffi, 154
Hapithus brevipennis, 101
 quadratus, 101
Haplothrips bellus, 125, 138
 tibialis, 126
Harmonia 14-guttata, 157
Helophorus, 155
Hemichionaspis, 175
 aspidistræ, 176
Hesperomyia, 220
 erythroceræ, 222
Hesperophasia setosa, 220, 221, 222

- Hesperophasiopsis californica*, 221,
 222
Hesperotettix floridensis, 95
Heterobrenthus texanus, 51, 54
Hippiscus rugosus, 94
Holanusomyia, 165
 pulchripennis, 165
Holcothorax testaceipes, 169
Homalopoda, 170
Homoglaea carnosus, 72
 hircina, 200
Howardia biclavis, 183
Hypocera flavidula, 184, 192
Hypoderma, 149

Inguromorpha slossonii, 87
Ischnoptera fulvescens, 92
 nigricollis, 92

Knabia, 222
 hirsuta, 223
Leptinus testaceus, 73
Leptura exigua, 73
Leptyma marginicollis, 95
Leucorhinia hudsonica, 153
 proxima, 153
Leuroceroides, 172
Leurocerus, 168
Limnephilus combinatus, 203, 211, 212
 indivisus, 205, 211, 212
Liothrips, 133
Listrochelus, 200
Lophocateres americanus, 69
Lowiola costata, 182
Lycoptus, 69

Macromeigenia, 232
Malachius æneus, 254
Manomera tenuescens, 93
Masicera, 61
Melanoplus keeleri, 97
 propinquus, 97
 pygmaeus, 96
 rotundipennis, 96
 scudderi, 97
Melia azedarach, 181
Meloe americana, 200
Merisus, 165
 octoguttata, 166
Mermiria alacris, 93
Merodon equestris, 139
Merothrips fusciceps, 123, 137
 morgani, 125
Metaphyto aristalis, 228
 genalis, 228
Metallonella, 169

Metallonoidea, 169
 britannica, 170
Metopomuscopteryx tibialis, 219
Microdiplosis simulacri, 177
Microcentrum rhombifolium, 98
Microperrisia pulvinaria, 174
Microsciasma minuta, 234
Miogrillus, 103
 bohlsii, 114
 capitatus, 104, 111
 convolutus, 104, 105, 110
 ensifer, 104, 110
 lineatus, 104, 111
 oklahomæ, 104, 115
 sicarius, 104, 111
 verticalis, 104, 111, 114, 115
Mirastymachus americanus, 167
 europæus, 166
Miscodera arctica, 156
 insignis, 156
Monoleuca semifascia, 71
Mordellistina ambusta, 156
Muscapteryx, 218
 chaetousula, 219
 tibialis, 219
Mycotretus, 236

Necrophorus orbicollis, 151
 tomentosus, 151
Nemobius ambitiosus, 100
 delicatus, 104, 105, 106, 109
 distinguendus, 104, 105, 106, 109
 ensifer, 110
 pictus, 104, 111
 socius, 100
Nemosoma, 68
Neoceletes, 55
 crateracollis, 56
Neoconocephalus mexicanus, 99
 retusus, 99
 triops, 99
Neocyptera dosiades, 233
Neotettix bolteri, 93
 femoratus, 93
Neuronia concatenata, 201
 pardalis, 201, 210

Ocanagana, 21, 24, 25
 actostaphyla, 26, 34, 35
 californicus, 27, 39
 canescens, 26, 37
 consobrina, 27, 38
 cruentifera, 25, 33
 fratercula, 20, 21
 hirsuta, 13, 21, 43
 mariposa, 12, 13, 21, 26, 36

- mercedita*, 16, 18, 21, 27, 40
minuta, 17, 18, 21, 27, 42
noveboracensis, 27, 38
occidentalis, 44
ornata, 26, 33
rimosa, 11, 12, 13, 14, 19, 26, 36
rubrovenosa, 11, 21, 26, 35
schaefferi, 19, 20, 21
striaticeps, 27, 39
synodica, 11, 14, 15, 16, 20, 27, 40
triangulata, 14, 16, 21, 27, 40
tristis, 26, 35
uncinata, 27, 41
vanduzeei, 14, 19, 27, 35, 37
vandykei, 26, 38
- Ecanthus angustipennis*, 101
 quadripunctatus, 101
Estrus phobifer, 146
Odontocryptera nana, 233
Odontoxiphidium apterum, 100
Orphulella pelidna, 94
Organomyia frontalis, 232
Orchelimum agile, 100
 militare, 100
 minor, 72
Ostoma, 68
Ostomodes, 69
Ostracophyto aristalis, 228
- Palpotachina similis*, 229, 230
Papaipema humuli, 154
Papilio glaucus, 159
 turnus, 159
Paradmontia, 223
Parahomalopoda, 170
 peruviansis, 171
Paraleurocerus bicoloripes, 172
Paramusopteryx genalis, 218, 219
Paraphasmophaga clavus, 223
Paratheresia, 65
 signifera, 66
Paroxya atlantica, 97
 floridana, 97
Paxilla obesa, 93
Peleteria, 229
Peltis, 68
Periplaneta brunnea, 92
Phaedon, 237
Phalacrotophora jacobsoni, 190
Phantasiomyia gracilis, 225, 226
Pharyngomyia picta, 147
Phaseolus, 242
 vulgaris, 242, 252
Phasmophaga, 223
Phasiostoma aristalis, 224, 225
- Philonthus chalcus*, 49
 varians, 49
Phoeniciomyia arizonica, 231
Phloeotribus liminaris, 156
Phragmatobia assimilans, 88
 rubricosa, 88
Phylloscirtus pulchellus, 101
Phytalus, 200
Plagiodes thymaloides, 237
 versicolor, 236
Plagiognathus politus, 193, 196
Plagiomeris diaspidis, 171
Plastophora crawfordi, 192
 currei, 192
 javensis, 191, 192
Platydesma, 236
Platypedia, 22, 24
 ampliata, 24, 29
 areolata, 25, 30
 aperta, 25, 29
 intermedia, 25, 30
 minor, 25, 28
 putnami, 25, 31
Platyepeza anthrax, 215
 elongata, 213, 215, 216
 flavicornis, 213, 214
 mediana, 213, 215
 minorata, 213, 214, 216
 nitida, 213, 215, 216
 obscura, 214
 submacula, 213, 214, 216
 tæniata, 213, 214, 216
 velutina, 213, 214, 216
Polideosoma rohweri, 226, 227
Polygonia faunus, 70
Polyphemothrips tibialis, 136, 138
Prionapteryx nebulifera, 72
Protodejeania hystricosa, 229
Pseudalindria fissiceps, 68
Pseudhomalopoda prima, 171
Pseudococcus citri, 166
Pseudatractocera, 232
Psindia fenestralis, 95
Pteraotichus angustus, 236
 caligans, 236
 grandiceps, 236
- Quercus bicolor*, 44
- Radinotatum brevipenne*, 93
Rhacius sulcatulus, 237
Rhapus testaceus, 169
Rihana grossa, 1
Romalea microptera, 95
- Sandalus niger*, 71
 petrophya, 71

- Sardiocera*, 65
Saurohypnus scutellaris, 49
Scæother carbonarius, 236
 opacus, 236
Schistocera alutacea, 95
 americana, 95
 calidor, 95
 obscura, 95
Sciasma, 234
Scirtetica picta, 95
Scolytus quadrispinosus, 156
 rugulosus, 156
Scudderia cuneata, 98
 furcata, 98
 texensis, 98
Seiarctia echo, 87
Silpha surinamensis, 150, 151
 lapponica, 151
 americana, 151
Sisyropa, 61
Sitophagus hololeptoides, 237
Somatochlora hudsonica, 153
Sphaerium simile, 58
Spharagemon crepitans, 94
 wyominganum, 94
Sphinx cupressi, 87
Spilosoma antigone, 88
 congrua, 88
 niobe, 88
 prima, 88
 virginica, 88
Stagmomantis carolina, 92
Stenomimus pallidus, 197
Stilpnochroa marginalis, 98
Strategus arizonicus, 51
 julianus, 51
Symphyotrips punctatus, 121, 131, 138
Syrbula admirabilis, 94

Tachinophyto, 231
Taftia, 166
Temnochila, 68
Tenebrio castaneus, 237
Tenebroides, 68
Tephrosia hookeriana, 173
Tetranychus, 181
Tettigidea armata, 93
 lateralis, 93, 154
Thopha varia, 164
Thymalus, 68, 69

Tibicen, 22, 23
 cinctifera, 23, 28
 montezuma, 23, 28
Tibicina cassinii, 21
 septemdecim, 21
Tibicinoides, 24, 27
 cupreosparsus, 28, 33
 hesperius, 17, 27, 33
Trachelizus uncimanus, 53
Trechus barbaræ, 48
 borealis, 47, 48
 chalybæus, 47, 48
 coloradensis, 47, 48
 rubens, 47, 48
 utahensis, 48
Trichodes metalli, 254
Trichothrips anomocerus, 132
 marginalis, 128, 138
 terminalis, 130, 138
Tricrania sanguinipennis, 198
Trimerotropis citrina, 95
Trogosita, 68
Tropidodexia, 66
 lutzi, 67
Tropidopsis, 66, 67
Truxalis brevicornis, 93
Trybonia, 135
Tychius griseus, 197
 picrostris, 197

Upodemocera robinsoni, 228, 229

Vanessa cardui, 73
Varina ornata, 89
Vasseletia vasseleti, 53
Vicia, 242
Vigna, 242

Walkeriana kandyense, 181

Xanthoencyrtus, 166, 167
 nigroclavatus, 167
Xiphodiplosis fulva, 180

Zacotus matthewsi, 156
Zammara, 22, 24
 smaragdina, 24, 28
Zygothrips bicolor, 126
 pullus, 127, 138